

Data Management - Personal Library



Infectious Disease 1

IVDNews™

Evaluation of the limit of detection of the BD Veritor™ system flu A+B test and two rapid influenza detection tests for influenza virus

Diagnostic Microbiology & Infectious Disease Volume 75, Issue 2 , Pages 200-202, February 2013.



Author(s): Timothy R. Peters, Elizabeth Blakeney, Lauren Vannoy, Katherine A. Poehling

>>>>  Save to My Library  Request Original

Long-term outcomes of congenital cytomegalovirus infection in Sweden and the United Kingdom.

Clin Infect Dis. 2013 Jan 18. [Epub ahead of print]



Author(s): Townsend CL, Forsgren M, Ahlfors K, Ivarsson SA, Tookey PA, Peckham CS. MRC Centre of Epidemiology for Child Health, UCL Institute of Child Health, University College London, London, UK.

>>>>  Save to My Library  Request Original

A single dose of any of four different live attenuated tetravalent dengue vaccines is safe and immunogenic in flavivirus-naïve adults: a randomized, double blind clinical trial.

J Infect Dis. 2013 Jan 17. [Epub ahead of print]

Author(s): Durbin AP, Kirkpatrick BD, Pierce KK, Elwood D, Larsson CJ, Lindow JC, Tibery C, Sabundayo BP, Shaffer D, Talaat KR, Hynes NA, Wanionek K, Carmolli MP, Luke CJ, Murphy BR, Subbarao K, Whitehead SS.

>>>>  Save to My Library  Request Original

Adding TAG and Comment

Infectious Disease 1 IVDNews™

Evaluation of the limit of detection of the BD Veritor™ system flu A+B test and two rapid influenza detection tests for influenza virus

Diagnostic Microbiology & Infectious Disease Volume 75, Issue 2, Pages 200-202, February 2013.

Author(s): Timothy R. Peters, Elizabeth Blakeney, Lauren Vannoy, Katherine A. Poehling

Add to Library

You are about to add Evaluation of the limit of detection of the BD Veritor™ system flu A+B test and two rapid influenza detection tests for influenza virus to your personal library

Comma Separated Tag(s) or Folder Name(s)

Healthcare systems ×

Your Comments:

BD Veritor system

Well-Characterized Outbreak of Mumps in New York City, 2009.

Review TAG and Comment

Infectious Disease 1


IVDNews™

Evaluation of the limit of detection of the BD Veritor™ system flu A+B test and two rapid influenza detection tests for influenza virus

Diagnostic Microbiology & Infectious Disease Volume 75, Issue 2 , Pages 200-202, February 2013.

Author(s): Timothy R. Peters, Elizabeth Blakeney, Lauren Vannoy, Katherine A. Poehling



Your Comments: BD Veritor system << **Comment added to Library article**

 Save to My Library  Request Original

Long-term outcomes of congenital cytomegalovirus infection in Sweden and the United Kingdom.

Clin Infect Dis. 2013 Jan 18. [Epub ahead of print]

Author(s): Townsend CL, Forsgren M, Ahlfors K, Ivarsson SA, Tookey PA, Peckham CS. MRC Centre of Epidemiology for Child Health, UCL Institute of Child Health, University College London, London, UK.

 Save to My Library  Request Original

**Click “Save to My Library” again to edit or delete comment
or
continue to add more files by selecting more articles**

Personal Library website to view your library tags/folders



Customized Global Information on Market, Industry and Product
Provided by JTM Associates, LLC. a clinical diagnostic information service company
P.O. Box 57, Wrentham, MA 02093
News Desk (530) 477-4380 or 530-615-7258
For more information visit us at www.ivdnews.com

Email:

Password:

[Forgot Password?](#)

Copyright 1996-2017 JTM Associates, LLC. All rights reserved.

To view the tags/folders and any comments added go to
<http://ivdnews.net/personalLibrary> and enter a username and password.

There is no limit on the number of files to set-up and you can view as many times you want at any time.

This library can be transferred to another person – companies can't afford to lose knowledge bases when individuals leave or change jobs